


JC37A Kitchen island lifting system



Data sheet


JC37A

Features

- Shorter retracted length, longer stroke length
- Low noise, stronger load capacity
- Apply to kitchen island

Application range


- JC37A system is the perfect choice without compromising on space or storage room to get comfort.
- JC37A system can be used for kitchen, counter, display platform.



Technical specifications


Max stroke length	130mm
Min height	100mm
Max height	230mm
Load speed	6mm/s
Max load capacity	1500N
Noise Level	Less than 55dB
Surface	Powder coating
Duty cycle	2 minutes continues use followed by 18 minutes not in use
IP grade	IP20
Ambient temperature	+5°C-+40°C
Certification	N/A
Color	Silver
Weight	6.5KG

Dimension



Ordering Key

JC37A - 1D5 - 6 - 24 - 130/100 - S



Application case



Disclaimer and Exclusion of Liability

The user must determine the suitability of JIECANG products under specific conditions. JIECANG is committed to providing the latest product information. However, as JIECANG' s product are constantly improving, it is possible to make changes to JIECANG' s product without prior notice. Therefore, JIECANG cannot guarantee the correctness and authenticity of the product information. Although JIECANG will do its best to meet the order requirements, due to the above reasons, JIECANG cannot guarantee the delivery capacity of any specific product. Therefore, JIECANG reserves the right to stop selling any products listed on the website or product catalog or other JIECANG written materials. All sales activities must be carried out in accordance with the requirements of JIECANG sales and Delivery Standard Clauses. For copies of relevant documents, please contact JIECANG.